Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	25	(separat$4 with (intergrat$3 with circuits)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:13
L2	0	((intergrat$3 near4 circuit$1) with reassemb$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
L3	0	((intergrat$3 near4 circuit$1) same reassemb$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
L4	0	((intergrat$3 with circuit$1) same reassemb$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
L5	152	((integrat$3 with circuit$1) same reassemb$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:45
L6	0	((integrat$3 near1 circuit$1) same reassember$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
L7	0	((integrat$3 near4 circuit$1) same reassember$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:15
L8	0	((integrat$3 with circuit$1) same reassember$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:16

L9	0	((integrat$3 with circuit$1) same reassember$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:16
L10	122	((integrat$3 with circuit$1) same reassemb$4 and stor$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:45
L11	152	((integrat$3 with circuit$1) same reassemb$4 near3stor$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 17:45
L12	6	((integrat$3 with circuit$1) same reassemb$4 near3 stor$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:02
L13	0	(reassember$4 with cells with packet$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:03
L14	0	(reassember$4 with cells) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:04
L15	47	(reassembler$4 with cells) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:28
L16	2	(reassembler$4 with cells).ti. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:05

L17	9	(reassembler$4 with cells).ab. and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:08
L18	11	(reassembler$4 with cells) and (integrat$3 near2 circuit$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:28
L19	9	(reassembler$4 with cells) and (integrat$3 near2 circuit$1) and @ad<="20011221" and switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:49
L20	0	("20030120798").PN.	USPAT; USOCR	OR	OFF	2005/12/09 18:47
L21	1	("20030120798").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/09 18:47
L22	6	(reassembler$4 with cells) and (integrat$3 near2 circuit$1) and @ad<="20011221" and switch and schedul$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 18:50
L23	2	(reassembler$4 with cells) and (integrat$3 near2 circuit$1) and @ad<="20011221" and switch and scheduler$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:01
L24	1	(reassembler$4 with cells) and (integrat$3 near2 circuit$1) and @ad<="20011221" and switch and traffic near1 manager$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
L25	1	(reassembler$4 with cells) and (integrat$3 with circuit$1) and @ad<="20011221" and switch and traffic near1 manager$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02

L26	1	(reassembler$4 with cells) and (integrat$3 with circuit$1) and @ad<="20011221" and switch and traffic near2 manager$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
L27	1	(reassembler$4 with cells) and (integrat$3 with circuit$1) and @ad<="20011221" and switch and traffic with manager$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
L28	273	(integrat$3 with circuit$1) and @ad<="20011221" and switch and traffic with manager$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
L29	109	(integrat$3 with circuit$1) and @ad<="20011221" and switch and traffic near2 manager$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:02
L30	77	(integrat$3 with circuit$1) and @ad<="20011221" and switch and traffic near1 manager$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:03
L31	25	(integrat$3 with circuit$1) and @ad<="20011221" and switch and traffic near1 manager$5 and reassembl$4 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:04
L32	5	(integrat$3 with circuit$1) and @ad<="20011221" and switch and traffic near1 manager$5 and reassembl$4 with cell$1 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/09 19:42
L33	1	("6483839").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:43
L34	1	("6058114").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:44
L35	1	("6629147").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:47
L36	1	("6771652").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:49

L37	1	("5623494").PN.	USPAT; USOCR	OR	OFF	2005/12/09 19:49
S1	2	("20030120798").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 11:04
S2	2	("0116682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 11:05
S3	0	("wo116682").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 13:45
S4	22423	(packet$1 and segment$5) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:46
S5	0	(packet$1 and segment$5) and (mutiple with reassemble) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
S6	0	(packet$1 and segment$5) and (mutiple with reassembler$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
S7	72	(packet$1 and segment$5) and (reassembler$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:48
S8	0	(packet$1 and fragment$3) and (multiple$3 with reassembler$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:49

S9	22	(packet$1 and fragment$3) and (reassembler$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:49
S10	22	(packet$1 and fragment$3) and (reassemblers) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:52
S11	0	(packet$1 and fragment$3) and (multi$4 with reassembler$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:52
S12	0	(fragment$3) and (multi$4 with reassembler$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 13:53
S13	8	(segment$3) and (multi$4 with reassembler$1) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:20
S14	173	(segment$3 and (intergrat$3 with circuits)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:23
S15	0	(segment$3 and (intergrat$3 with circuits with reassem$5)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:22
S16	0	(segment$3 and (intergrat$3 with access$1 with router$1)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:23

S17	6	(segment$3 and (intergrat$3 with access$1)) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:38
S18	1	(intergrat$3 with process$4) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:56
S19	0	(intergrat$3 with access$4) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:56
S20	158	(integrat$3 with access$4) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:56
S21	27	(integrat$3 with access$4 with processors) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:57
S22	0	(integrat$3 with access$4 with (multi$4 near2 processors)) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 14:57
S23	7	(integrat$3 with process$4 with (multi$4 near2 processors)) and SAR and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/01 15:31
S24	2	("4149243").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 15:36

S25	19977	(multi$3 near1 processor) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:52
S26	0	((multi$3 near1 processor) with schedul$4 with classif$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:53
S27	2	((multi$3 near1 processor) same schedul$4 with classif$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:57
S28	112	((multi$3 near1 processor) same schedul$4 with task$4) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 14:57
S29	1	((multi$3 near1 processor) same schedul$4 near1 function with task$4 near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:02
S30	0	((multi$3 near1 processor) same schedul$4 near1 function with classifition near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:02
S31	0	((multi$3 near1 processor) same schedul$4 near1 function with classifying near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03
S32	0	((multi$3 near1 processor) same classifying near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03

S33	10	((processor) same classifying near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03
S34	0	((processor) same classifying near1 function same schedul$3) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:03
S35	10	((processor) same classifying near1 function) and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:05
S36	1	((processor) same classifying near1 function) and schedul$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:24
S37	17	((processor) same classifier same scheduler) and schedul$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:49
S38	0	((multi with \processor) same classifier same scheduler) and schedul$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:24
S39	0	((multi near2 processor) same classifier same scheduler) and schedul$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:24
S40	0	((paralle$3 near1 processor) same classifier same scheduler) and schedul$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:25

S41	0	((multi-processor) same parser same scheduler) and schedul$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 15:49
S42	21	((multi-processor) and parser and scheduler) and schedul$3 and @ad<="20011221"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/02 16:03
S43	0	("9384689").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:31
S44	1	("4,149,243").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:31
S45	1	("6944153").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:34
S46	1	("5179530").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:35
S47	1	("4885684").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:36
S48	1	("4149243").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:37
S49	1	("5357632").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:37
S50	0	("20030121033").PN.	USPAT; USOCR	OR	OFF	2005/12/02 16:37
S51	1	("20030121033").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/12/02 16:37